

# intAct Oldtimer-Power (vintage battery)

Oldtimer batteries | dry pre-charged / filled and charged  
Maintenance free in compliance with DIN | HGI optical black



**intAct**  
Battery-Power

# intAct Oldtimer-Power

Oldtimer batteries | dry pre-charged/filled and charged  
Maintenance free in compliance with DIN | HGI optical black

The intAct Oldtimer-Power batteries are still manufactured by hand in the original design of a black casing. This product series provides batteries for

almost all classic vehicles. Classic car enthusiasts are also intrigued by the original look in the black casing.



## 6 Volt starter batteries Oldtimer - HGI Optik

Battery	Volt	Capacity	Cold cranking amper	Purpose	Length mm	Width mm	Height mm	Position of terminal	Terminal	Hold down
<b>00811HGI</b>	6	8 AH (c20)	40 A (EN)	BMW motorcycle	95	85	166	1	5	
<b>05611</b>	6	56 AH (c20)	260 A (EN)	Loyd, Citroën 2CV	168	173	220	0	1	
<b>06611</b>	6	66 AH (c20)	360 A (EN)	Opel, Käfer or Hold down	187	169	191	0	1	
<b>06612GUG</b>	6	66 AH (c20)	360 A (EN)		178	175	188	0	1	B4
<b>07715</b>	6	77 AH (c20)	360 A (EN)	Opel, Ford	215	169	191	0	1	B6
<b>08411</b>	6	84 AH (c20)	390 A (EN)	VW Bus, agricultural machinery	224	173	220	0	1	
<b>09611</b>	6	96 AH (c20)	390 A (EN)	VW Bus, Schlepper	224	173	220	0	1	
<b>09811</b>	6	98 AH (c20)	480 A (EN)	US-vehicles, Willy Jeep	263	172	220	0	1	
<b>10211</b>	6	102 AH (c20)	420 A (EN)	agricultural machinery	225	173	235	0	1	
<b>11211</b>	6	112 AH (c20)	540 A (EN)	Eicher, agricultural machinery	280	175	220	0	1	
<b>11213</b>	6	112 AH (c20)	540 A (EN)	US-vehicles, Cadillac	503	98	230	3	1	
<b>11215</b>	6	112 AH (c20)	540 A (EN)	agricultural machinery	252	177	220	0	1	
<b>12018</b>	6	120 AH (c20)	570 A (EN)	agricultural machinery	263	173	238	0	1	
<b>15012</b>	6	150 AH (c20)	720 A (EN)	various vehicles	329	175	235	0	1	
<b>18011</b>	6	180 AH (c20)	850 A (EN)	various vehicles	392	175	250	0	1	

## 12 Volt starter batteries Oldtimer - HGI Optik

Battery	Volt	Capacity	Cold cranking amper	Purpose	Length mm	Width mm	Height mm	Position of terminal	Terminal	Hold down
<b>54211</b>	12	42 AH (c20)	190 A (EN)	universal	252	177	220	0	1	
<b>54419</b>	12	44 AH (c20)	200 A (EN)	universal	210	175	175	0	1	B13
<b>56011HGI</b>	12	60 AH (c20)	280 A (EN)	universal	260	173	225	0	1	
<b>56014</b>	12	60 AH (c20)	330 A (EN)	Mercedes, BMW	311	177	220	0	1	
<b>56037</b>	12	60 AH (c20)	280 A (EN)	various vehicles	260	173	225	1	1	
<b>57016</b>	12	70 AH (c20)	360 A (EN)	Cadillac, fork lift, agricultural machinery	481	110	220	5	1	
<b>58411</b>	12	84 AH (c20)	390 A (EN)	various vehicles	425	173	220	0	1	
<b>61815</b>	12	118 AH (c20)	k.A. A(EN)	Same-Front terminal	355	253	218	1	1	
<b>68011</b>	12	180 AH (c20)	850 A (EN)	various vehicles	519	276	250	3	1	

## 6 Volt special batteries - HGI Optik

Battery	Volt	Capacity	Cold cranking amper	Purpose	Length mm	Width mm	Height mm	Position of terminal	Terminal
<b>10014</b>	6	100 AH (c20)		various vehicles	225	173	235	0	1
<b>12027</b>	6	120 AH (c20)		various vehicles	296	173	238	0	1
<b>16016</b>	6	160 AH (c20)		various vehicles	329	175	235	0	1
<b>20013</b>	6	200 AH (c20)		various vehicles	392	175	250	0	1

**Product line:** 6 V + 12 V intAct Oldtimer-Power  
**Model:** Lead-calcium-silver alloy  
**Status:** TV = dry pre-charged  
**Quality:** OEM quality

**Properties:** Top starting performance, up to 30 % longer shelf life than the DIN standard  
**Use:** Classic cars – Classic trucks – Classic agricultural machinery  
**Battery box:** Black battery box