

# intAct Traktion-Power Trojan

Traction batteries | Motive Power  
Sealed lead/acid block battery



**intAct**  
Battery-Power

# intAct Traktion-Power Trojan

Traction batteries | Motive Power  
Sealed lead/acid block battery

intAct Traction-Power / Trojan batteries are manufactured in the USA. Their robust design and very long life are impressive substantiating 700 charging cycles according to IEC 254-1 with a discharge of 80%. These batteries are main-

ly used in mobile lifting platforms as well as golf carts and electric boats. Numerous lifting platform and electric vehicle manufacturers have for years put their trust into the reliability of the Trojan block batteries.

Battery	Volt	Capacity	Length mm	Width mm	Height mm	Position of terminal	Terminal
<b>T105APW</b>	6	185 AH (c5), 225 AH (c20)	264	181	276	0	LPT
<b>T125APW</b>	6	195 AH (c5), 240 AH (c20)	264	181	276	0	LPT
<b>T145LPT</b>	6	215 AH (c5), 260 AH (c20)	264	181	292	0	LPT
<b>TE35AP</b>	6	200 AH (c5), 245 AH (c20)	244	191	276	0	AP
<b>J305E</b>	6	250 AH (c5), 305 AH (c20)	311	178	365	0	DT
<b>J305PDT</b>	6	271 AH (c5), 330 AH (c20)	295	178	365	0	DT
<b>J305HDT</b>	6	295 AH (c5), 360 AH (c20)	295	178	365	0	DT
<b>L16G</b>	6	320 AH (c5), 390 AH (c20)	311	178	424	0	UT
<b>L16PDT</b>	6	344 AH (c5), 420 AH (c20)	295	178	424	0	DT
<b>T875LPT</b>	8	145 AH (c5), 170 AH (c20)	264	181	276	0	LPT
<b>T890LPT</b>	8	155 AH (c5), 190 AH (c20)	264	181	276	0	LPT
<b>27TMX</b>	12	85 AH (c5), 105 AH (c20)	324	171	248	0	AP
<b>30XHS</b>	12	105 AH (c5), 130 AH (c20)	335	171	356	0	AP
<b>J150</b>	12	120 AH (c5), 150 AH (c20)	351	178	283	0	LPT
<b>T1275</b>	12	120 AH (c5), 150 AH (c20)	327	181	276	0	LPT
<b>J185E</b>	12	144 AH (c5), 175 AH (c20)	394	178	371	0	DT

**Product line:** 12 V + 8 V + 6 V traction batteries  
**Model:** Block battery, grid plates, sealed, low maintenance  
**Status:** GUG = filled and charged  
**Quality:** OEM quality made in the USA  
**Number of cycles:** 700 cycles according to IEC 254-1  
**Purpose:** Medium to high cyclic use  
**Type of terminal:** AP = cone/roand terminal

**Properties:** LPT = screw connection  
 DWNT = combination of SAE & double wing screw  
 DT = combination of threaded bolt & cone terminal  
 Durable, safe and reliable, robust design  
**Use:** Golf caddies – electric wheelchairs – electric vehicles – mobile lifting platforms – car audio – recreational and sports vehicles – electric boats